SISO

GLASS fittings

for furniture



- high quality furniture fittings

SISO DENMARK

The technical descriptions and dimensions in this catalogue, also those with the photographs and drawings, are not binding. We reserve the right to make design improvements.

We bear no liability for any misprints or other errors that might occur in the production of the catalogue.

SISO A/S tager forbehold for trykfejl samt ændringer i produktets specifkationer.

Für Druckfehler und Irrtümer ist jede Haftung ausgeschlossen. Produktänderungen behalten wir uns vor.

SISO DENMARK
- high quality furniture fittings

SISO A/S
MILEPARKEN 11
DK - 2740 SKOVLUNDE
(COPENHAGEN)
DENMARK
PHONE: (+45) 45 830 900

DISTRIBUTOR

CONTENTS

GLASS CONNECTORS 5-7



GLASS DOOR LOCK & ACCESSORIES 8-24



SHELF SUPPORTS FOR GLASS 25-29



CABLE SIGN SYSTEM 30-31



ADJUSTABLE SHELF SUPPORT "PELICANS" 32-33



”SLOPE” SHELF BRACKET 34-35



ZAMAK GLASS CLAMPS 36-37



PARTITION PANEL SUPPORT CLAMP. 38-40



PIVOT HINGE "HODOR". 41-42



CABINET HINGE “EASY”. 43-45



GLASS DOOR HINGE ”OBSESSION” 46-48



CABINET DOOR HINGE ”BONSAI” 49



GLASS DOOR HINGES - NO DRILLING 50-59



SISO DENMARK - high quality furniture fittings

CONTENTS

HINGES FOR UV-GLUE 60-63



GLASS PIVOT HINGE - NO DRILLING 64-66




GLASS DOOR HINGES - NO DRILLING 66-67



MAGNETIC TOUCH LATCHES 68-69



STRIKING PLATES 70



GLASS DOOR PULL F/SLIDING DOORS 71



GLASS DOOR HANDLE - NO DRILLING 71




ACCESSORIES F/MIRRORS 72



SIGNBOARD SCREWS & HOLDERS 73-75



ALUMINIUM SHELVES W/LED & ALU PROFILES 76



SUCTION PADS & BUMPERS 76



DISCS & LEGS F/GLASS TABLE TOPS 77



TWISTER - THE LEG CONNECTOR 78-79



SHELVING LEG SYSTEM "THE POST". 80


GLASS CONNECTORS - TYPE "MAXI"
ZAMAK - GLASS THICKNESS 4-6 MM

- high quality furniture fittings SISO DENMARK

GLASS CONNECTOR 2-WAY
90°

33 x 33 x 25 mm height

Chrome plated # 22.10.100






GLASS CONNECTOR 3-WAY
T-JOINT

52 x 33 x 25 mm height

Black anodized # 22.10.112






GLASS CONNECTOR 4-WAY
90°

52 x 52 x 25 mm height

Black anodized # 22.10.122
Alu finish # 22.10.123






GLASS CONNECTOR 3-WAY
T-JOINT

Closed end - bottom/top connector

Chrome plated # 22.10.130
Black anodized # 22.10.132






GLASS CONNECTOR 4-WAY
90°

Closed end - bottom/top connector

Chrome plated # 22.10.140
Black anodized # 22.10.142





GLASS CONNECTORS - TYPE "MINI"
ZAMAK - GLASS THICKNESS 4 - 5.5 MM

GLASS CONNECTOR HINGE

60 mm open width x 40 mm height.

Chrome plated	# 22.10.010
Brass plated	# 22.10.011



GLASS CONNECTOR HINGE

60 mm open width x 22 mm height.

Chrome plated	# 22.10.020
Black anodized	# 22.10.022



GLASS CONNECTOR
2-WAY - 90º

33 x 33 mm x 22 mm height

Chrome plated	# 22.10.060
Black anodized	# 22.10.062



GLASS CONNECTOR
3-WAY - T-JOINT

52 x 34 mm x 22 mm height

Brass plated	# 22.10.041
Black anodized	# 22.10.042



GLASS CONNECTOR
4-WAY - 90º

52 x 52 mm x 22 mm height

Chrome plated	# 22.10.050
Brass plated	# 22.10.051
Black anodized	# 22.10.052



GLASS CONNECTOR
4-WAY - 90º

52 x 52 mm x 22 mm height
bottom mounted connector

Chrome plated	# 22.10.055



GLASS/GLASS CONNECTOR #CLAW"
2-WAY


- high quality furniture fittings


Application
Connecting glass plates
Drilling required


Material
2 mm steel, nickel plated

Size:	35 x 35 mm
Bore hole:	ø 6 mm
Bore distance:	30 mm from centre to edge + glass thickness
Glass thickness:	4 - 8 mm
Item No.:	# 22.10.090

Inclusive transparent tube & washers








GLASS/GLASS CONNECTOR #CLAW"
3-WAY


Application
Connecting glass plates
Drilling required


Material
2 mm steel, nickel plated

Size:	35 x 35 x 35 mm
Bore hole:	ø 6 mm
Bore distance:	30 mm from centre to edge + glass thickness
Glass thickness:	4 - 8 mm
Item No.:	# 22.10.091

Inclusive transparent tube & washers







GLASS DOOR LOCK "MINI"
SLIDING DOORS

MODEL „MINI"

Finish
Chrome plated

Aplication
Glass sliding door


Accesories for 1 set
1 lock
2 car keys
1 nut

Function
to lock - push the cylinder
to unlock - turn key

50 key combinations # 14.03.040
Key alike # 14.03.041

Packing
100 pcs per box
5 box per export carton





BRASS GLASS DOOR LOCK "SWAN" FOR 8-10 MM GLASS

MODEL "SWAN"


Finish
Gold plated # 14.09.000
Chrome plated # 14.09.001

Material
Brass


Consists of:
1 cylinder ø20 x 23 mm
1 front plate w/bottom support
40 x 40 mm
1 back plate 40 x 40 mm
2 SISO metal keys, key alike
2 transparent cushions
1 hexagonal nut
1 off-set brass cam
1 raised brass striker


Function
Turn key 180° to lock or unlock

Packing
100 pcs per export carton









GLASS DOOR LOCK "AUDIO" - NO DRILLING

- high quality furniture fittings

MODEL "AUDIO"

Finish
Plastic black # 14.09.256

Application
Hinged glass doors
particularly for audio/hi-fi cabinets
No boring required


Accessories for one set
1 lock
1 washer
2 screws
2 keys

Function
Turn key 180º
to lock or unlock

Specification
Plastic/metal combination
one key change only

Packing
500 pcs per export carton





GLASS DOOR LOCK C409 SLIDING DOORS

MODEL C409

Finish:
Zamak, chrome plated


Application:
Glass sliding doors


Accessories for one set:
1 plug-in zamak cylinder
1 zamak housing (2 parts)
3 transparent PVC washers
2 steel screws
2 brass keys

Function:
Place cylinder into lock case,
turn and remove key,
key removable in locked
position only

Specification:
25 key combinations # 14.09.300
or key alike # 14.09.315








SOFT PLUG F/SLIDING DOOR LOCK C409

Application:
For lock C409 to seal the
cylinder hole when not locked.

Specifications:
Grey silicon RAL 7010

Item No.: # 14.09.303





GLASS DOOR LOCK VITRIO "M" - HINGED DOORS

MODEL "VITRIO"

Finish

Chrome plated	# 14.09.350
Brass plated	# 14.09.360

Application
Double hinged glass doors
Accessories for one set
A) left door
1 decorative cylinder
1 stainless steel front plate
1 hexagonal nut
1 plastic washer
B) right door
1 off-set hook cam
1 stainless steel front plate
1 hexagonal nut
1 plastic washer
2 car keys


Function
Turn key 90° to lock
or unlock

Specification
Cylinder zamak
front plates stainless steel
400 key combinations or key alike

Option
Master key system

Packing
300 pcs per export carton
25 pcs per box





GLASS DOOR LOCK NO. 750

Model 750

Finish:

Chrome Pl. - 100 mm - KD	# 14.09.025
Chrome Pl. - 100 mm - KA	# 14.09.012
Chrome Pl. - 135 mm - KD	# 14.09.030
Chrome Pl. - 135 mm - KA	# 14.09.013


Application:
Glass sliding doors

Accessories for one set:
1 removable lock
1 rachet 100 or 135 mm
1 screw w/protection pad
2 metal keys

Function:
Push the rachet into the flat
end of the lock
Turn key 180° and remove key
to activate the lock

Specification:
Zamak lock body
Steel rachet & keys
25 key combinations






PUSH BUTTON LOCK #8600 "M"
F/DOUBLE SLIDING GLASS DOORS

- high quality furniture fittings SISO DENMARK


MODEL # 8600
Finish
Chrome plated # 14.09.420
Alu finish # 14.09.423
Application
Double sliding glass doors
on alu rails
Accessories
1 lock cylinder ø 22 mm
1 grub screw for fastening
2 metal keys, double entry
Function
Push cylinder to lock
Turn key to unlock
Specification
Zamak house: 28 x 24 x 12 mm
400 key combinations or key alike
Option:
Master key
Packing:
250 pcs per export carton
25 pcs per box







ACCESSORIES


BOTTOM TRACK
Aluminium:
Anodized # 22.26.030
Standard length: 2 metres






TOP E-TRACK
Aluminium:
Anodized # 22.26.010
Standard length: 2 metres






GLASS H-RAIL
Aluminium:
Anodized # 22.26.020
Standard length: 2 metres
For 5 - 6 mm glass thickness





TROLLEY w/Nylon Wheels
Nickel plated # 22.26.040
Load capacity: 3 kg







U-SPLINE PVC # 22.26.060
Rolls of 100 mts



SILENCER # 22.26.070
Plastic, clear
Bags of 100 pcs




END CAP ZAMAK
Chrome plated # 22.26.050
Alu finish # 22.26.049




SYSTEM #8600

FW = Frame width (inside measurement)
GW = Glass width
FH = Frame height (inside measurement)
GH = Glass height
R = Rail length




How to prepare glass door size?


1. GW = ((FW + 30 mm) x 0,5) – 3 mm
   - OVERLAY
   - END CAPS
2. GH = FH – 29 mm
   - PROFILE + AIR.
3. R = GW + 2 mm
   - END CAPS




A
TOP E-Track #22.26.010



B
SILENCER #22.26.070
inside TOP E-Track



C
END CAP ZAMAK #22.26.050




D
U-SPLINE PLASTIC #22.26.060




E
TROLLEY #22.26.040



F
BOTTOM TRACK #22.26.030



G
GLASS H-RAIL #22.26.020



PUSH BUTTON LOCK #2010 "M"
F/DOUBLE SLIDING GLASS DOORS

- high quality furniture fittings

MODEL #2010

Finish

Alu finish	# 14.09.460
Chrome plated	# 14.09.461
Gold mat plated	# 14.09.463
Gold bright plated	# 14.09.462

Application
Double sliding glass doors
premounted on aluminium frame

Accessories for one set
1 cylinder push lock ø22 mm
1 universal bottom part
premounted for insertion
into H-rail on left or right side
2 grub screws for fastening onto the h-rail
5 allen keys for every
20 lock sets for tightening the grub screws
2 car keys, double entry


Function
Push cylinder to lock
and turn key to unlock


Specification
Zamak with 400 key combinations
or key alike

Option
Master key system

Packing
200 pcs per export carton
20 pcs per box







ACCESSORIES

U-SPLINE PVC
22.26.060
Rolls of 100 mts




SILENCER
22.26.070
Plastic, clear
Bags of 100 pcs




END CAP ZAMAK
Chrome plated
22.26.051
Alu finish
22.26.052





BOTTOM TRACK
Aluminium:
Anodized # 22.26.030
Standard length: 2 metres






TOP E-TRACK
Aluminium:
Anodized # 22.26.010
Standard length: 2 metres






GLASS H-RAIL
Aluminium:
Anodized # 22.26.021
Standard length: 2 metres
For 5 - 6 mm glass thickness






TROLLEY w/Nylon Wheels
Nickel plated # 22.26.041
Load capacity: 3 kg






SYSTEM #2010

FW = Frame width (inside measurement)
GW = Glass width
FH = Frame height (inside measurement)
GH = Glass height
R = Rail length
R_{Lock} = Rail length for lock




How to prepare glass door size?


1. GW = ((FW + 30 mm) x 0,5) – 3 mm
   - OVERLAY
   - END CAPS
2. GH = FH – 32 mm
   - PROFILE + AIR.
3. R = GW + 2 mm
   - END CAPS
4. R_{Lock} = (GW + 1 mm) - 32,5 mm
   - END CAPS
   - LOCK



A TOP E-Track #22.26.010



B SILENCER #22.26.070 inside TOP E-Track



C END CAP ZAMAK #22.26.051




D U-SPLINE PLASTIC #22.26.060




E TROLLEY #22.26.041



F BOTTOM TRACK #22.26.030



G GLASS H-RAIL #22.26.021



PUSH BUTTON LOCK #2740 "M" W/STRIKER

- high quality furniture fittings

Application
Double sliding glass doors
Premounted on aluminium frame

Function
Push & turn cylinder with key to lock
& turn key to unlock.
Can be installed into H-rail
on left or right side


Specification
Zamak with 400 key combinations,
key alike or/and master key system

1 set consists of
1 cylinder push lock ø 22 mm
with hook pin
1 striker
2 round SISO metal keys, double
entry
1 hex key 2 mm
2 grub screws for fastening
onto the H-rail


Lock #2740 w/striker

Alu finish - key to differ	# 14.09.440
Alu finish - key alike	# 14.09.441
Alu finish - w/master key	# 14.09.442


Packing
150 pcs per export carton
15 pcs per box




Not for sale in Germany, UK, France & Spain








Lock #2740





Striker f/lock #2740




ACCESSORIES F/LOCK #2740 "M"


Glass door handle - Plastic
Alu finish # 14.09.445
F/fixing on H-rail w/grub screw






End cap - Plastic
Alu finish # 22.26.053
F/pressing into H-rail







Trolley - w/ball bearing
Zinc plated # 22.26.042
F/fixing on H-rail be use
of tool # 22.26.080
Load capacity: 5 kg pr. trolley





Bottom frame track
Aluminium
Anodized # 22.26.032
2 metres length





Tool for fixing trolley
Blue # 22.26.080













Anti-lift stopper - Plastic
Transparent # 22.26.075
F/pressing into top E-track to prevent lifting of glass







Bottom Track
Aluminium
Anodized # 22.26.031
2 metres length






Top E-track with felt
Aluminium
Anodized # 22.26.011
2 metres length






Glass H-rail f/ 5 - 6 mm glass
Aluminium
Anodized # 22.26.023
2 metres length






Side & bottom frame track
Aluminium
Anodized # 22.26.025
2 metres length






U-SPLINE PVC
Grey color #22.26.060
Rolls of 100 meters






ACCESSORIES F/LOCK #2740 "M"

Bumper frame profile - PVC
Transparent # 22.26.065
2 metres length







A
Top E-track with felt
#22.26.011

B
Anti-lift stopper - Plastic
Inside Top E-track # 22.26.075

C
End cap - Plastic
#22.26.053

D
U-spline - Plastic
#22.26.060

E
Trolley - w/ball bearing
#22.26.042

F
Bottom Track
#22.26.031

G
Glass H-reil f/5 mm glass
#22.26.023

H
Push button lock
#2740„M" w/striker

K
Glass door handle - Plastic
14.09.445

M
Bottom frame track
22.26.032

S
Side & bottom frame track
aluminium # 22.26.025

T
Bumber frame profile - PVC
22.26.065

#2740 MODEL

W = Inside width of frame
GW = Glass width
H = Inside height of frame
GH = Glass height

With frame and high bottom rail (like on picture):

GW = ((W – 2,50 mm) + 30 mm) x 0,5
FRAME OVERLAY

With bumpers at the sides deduct 10 mm from the GW result.


GH = H – 40 mm
PROFILE + AIR.

Without frame and with low bottom rail:

GW = (W + 30 mm) x 0,5
OVERLAY

With bumpers at the sides deduct 10 mm from the GW result.

GH = H – 32 mm
PROFILE + AIR.



MODEL #907

Finish

Chrome plated	# 14.09.417
Mat nickel plated	# 14.09.416
Gold plated	# 14.09.418
Black anodized	# 14.09.419

Application
Glass sliding doors

Accessories
1 lock
2 car keys, double entry
2 transparent washers


Function
Push and turn key
90º to lock or unlock


Specification
Zamak
400 key combinations or key alike

Options
Master key system

Packing
200 pcs per box







GLASS DOOR LOCK #910 "MIC"
SINGLE DOOR, HINGED

MODEL #910

Finish

Chrome plated	# 14.09.108

Application

Glass hinged doors	4-6 mm
Bore	Ø 25 mm

Accessories for one set
1 cylinder lock
5 washer (plastic & rubber)
1 zamak stopper
2 metal keys, double entry


Function
Turn key 180º to lock or unlock
- w/click sound

Specification
Zamak
400 key combinations or key alike

Options
Master key and
interchangeable system

Packing
240 pcs per export carton





GLASS DOOR LOCK #689 "MIC"
SINGLE DOOR, HINGED

MODEL #689

Finish

Chrome plated	# 14.09.130
Mat nickel plated	# 14.09.131
Gold plated	# 14.09.129
Alu finish	# 14.09.132
Black anodized	# 14.09.128

Application
Glass hinged doors 4-6 mm
Bore: Ø 26 mm

Accessories for one set
1 cylinder lock
5 plastic washer
1 zamak stopper
2 car keys, double entry


Function
Turn key 180º to lock
or unlock - w/click sound

Specification
Zamak
400 key combinations or key alike

Option
Master key
and interchangeable system

Packing
20/200 pcs per box







DOUBLE DOOR COVER/STRIKER FOR LOCK #685


Chrome plated	# 14.09.170
Mat nickel plated	# 14.09.171
Alu finish	# 14.09.172
Gold plated	# 14.09.173
Nickel plated	# 14.09.174













DOOR STOPPER

DOOR STOPPER w/hole

Finish: black plastic # 14.09.118

Application: inset glass door hinged
Recommended to use with locks
X-689 and 910 (as a stopper and
striking plate)





GLASS DOOR LOCK #916 "M"
DOUBLE OR SINGLE DOORS, HINGED

- high quality furniture fittings

MODEL #916

Finish
Black anodized # 14.09.047
Chrome plated # 14.09.048

Application
Hinged glass doors 4-6 mm
Bore Ø 19 mm

Accessories for one set
1 cam lock
1 straight steel cam
1 plastic washer + 1 hex nut
1 flat striking plate: 11 x 57 mm
2 car keys, double entry
1 front plate zamak


Function
Turn key 180° to lock
or unlock - w/click action

Specification
Plate & house: zamak
400 key combinations or key alike

Option
Master key system

Packing
12 pcs per box
240 pcs per export carton





GLASS DOOR LOCK "SAFE" "M"
SINGLE DOOR, HINGED

MODEL "SAFE"

Finish
Chrome plated # 14.09.320

Application
Single glass door, hinged
Bore Ø 19 mm

Accessories for one set
1 cam lock
1 hexagonal nut
1 plastic washer
1 straight cam
1 front plate
1 flat striking plate
2 car keys, double entry


Function
Turn key 90°
to lock or unlock - w/click sound

Specification
Zamak
400 key combinations or key alike

Option
Master key system

Packing
12 pcs per box
240 pcs per export





GLASS DOOR LOCK "VETRO" "MIC"
SINGLE DOOR, HINGED

MODEL "VETRO"

Finish

Chrome plated	# 14.09.261
Gold plated	# 14.09.260
Black anodized	# 14.09.262

Application
Single glass door, hinged
No boring required

Glass thickness: 4 - 6 mm

Accessories for one set
1 lock w/front plate:
2 fastening screws
1 flat striking plate
2 car keys double entry
1 plastic distance plate


Function
Turn key 180º to lock
and reverse to unlock

Specification
Zamak
400 key combinations
or key alike

Option
Master key
and interchangeable system

Packing
24 pcs per box
240 pcs per export carton





GLASS DOOR LOCK "VETRO-DOUBLE" "MIC"
DOUBLE DOORS, HINGED

MODEL "VETRO-DOUBLE"

Finish

Chrome plated	# 14.09.270
Gold plated	# 14.09.271
Black anodized	# 14.09.272

Application
Double glass doors, hinged
No boring required

Glass thickness: 4 - 6 mm

Accessories for one set
1 lock w/front plate
2 fastening screws
1 flat striking plate
2 car keys double entry
1 plastic distance plate

Optionals

Door stopper	# 14.09.118
Spring stopper	# 14.09.119


Function
Turn key 180º
to lock and reverse to unlock

Specification
Zamak, 400 key combinations
or key alike

Option
Master key
and interchangeable system

Packing
24 pcs per box
240 pcs per export carton





GLASS DOOR LOCK #64081 "MIC"
SINGLE DOOR, HINGED

- high quality furniture fittings

MODEL #64081

Finish

Chrome plated	# 14.09.210
Gold plated	# 14.09.211
Black anodized	# 14.09.212

Application
Single glass door, hinged
No boring required

Glass thickness: 4 - 6 mm

Accessories for one set
1 lock w/front plate
2 fastening screws
1 flat striking plate
2 car keys double entry
1 plastic distance plate


Function
Turn key 180° to lock
and reverse to unlock

Specification
Zamak
400 key combinations
or key alike

Option
Master key
and interchangeable system

Packing
20 pcs per box
200 pcs per export carton





GLASS DOOR LOCK #917 "MIC"
NO BORE - DOUBLE DOORS, HINGED

MODEL #917

Finish

Chrome plated	# 14.09.220
Alu finish	# 14.09.223

Application
Double glass doors, hinged
No boring required

Glass thickness: 4 - 6 mm

Accessories for one set
1 lock w/large front plate
2 fastening screws
1 flat striking plate
2 car keys double entry
1 plastic distance plate

Optionals

Door stopper	# 14.09.118
Spring stopper	# 14.09.119


Function
Turn key 180° to lock
and reverse to unlock

Specification
Zamak
400 key combinations or key alike

Option
Master key
and interchangeable system

Packing
12 pcs per box
240 pcs per export box carton





GLASS DOOR LOCK #918 "MIC"
NO BORE - SINGLE DOOR, HINGED

MODEL No. 918

FINISH

Chrome plated	# 14.09.217
Alu finish	# 14.09.217-1

Application
Single glass doors, hinged
No boring required

Glass thickness: 4 - 6 mm

Accessories for one set
1 lock w/front plate
2 fastening screws
1 flat striking plate
2 car keys double entry
1 plastic distance plate

Optionals

Door stopper	# 14.09.118
Spring stopper	# 14.09.119


Function
Turn key 180º
to lock and reverse to unlock

Specification
Zamak
400 key combinations or key alike

Option
Master key
and interchangeable system

Packing
12 pcs per box
240 pcs per export carton





STRIKER (FOR LOCK #918)
FOR DOUBLE HINGED DOORS

MODEL "STRIKER"

Finish

Chrome plated	# 14.09.246
Alu finish	# 14.09.247
Gold plated	# 14.09.248


Application
Double glass door, hinged
No boring required

Glass thickness: 4 - 6 mm

Accessories for one set
1 lock w/front plate
2 fastening screws
1 flat striking plate
1 plastic distance plate

Packing
24 pcs per box
240 pcs per export carton






GLASS SHELF SUPPORT
- with retainer

Material: Steel pin Ø5 mm, bright zinc plated and transparent plastic support with retainer

Suitable for GLASS THICKNESS 5,5 mm

Item No.: # 22.02.080






GLASS SHELF SUPPORT „CRISTAL“

Material: Steel pin Ø5 mm, mantled with transparent plastic to 7 mm diam.


Finish:	**Item No.:**
Bright zinc plated	# 22.02.037
Brass plated	# 22.02.038






GLASS SHELF SUPPORT
with slide lock No. 1630
- moulded in sets (left + right)


Material:	Transparent plastic
Pin:	Ø5 mm
Bore hole:	9,5 mm from edge
Glass:	5 mm
Item No.:	# 22.02.082






GLASS SHELF SUPPORT „PARROT“
w/clip fixing to secure the glass


Material:	Zamak, Nickel plated
Pin:	Ø5 mm
Glass thickness:	4 - 8 mm
Item No.:	# 22.02.456





SHELF SUPPORT - w/ flexible Retainer for GLASS SHELVES (min. 5 mm)

Material:	Plastic
PIN:	5 mm
For glass minimum 5 mm	
Colour:	**Item No.:**
White	# 22.02.066
Black	# 22.02.067






SHELF SUPPORTS FOR GLASS


SHELF SUPPORT „ALFA“ - w/ catch for glass 4-8 mm

With eccentric pin Ø5 mm

Material: Zamak, Nickel plated

Item No.: # 22.02.245






SHELF SUPPORT w/2 rubber O-rings

Material: Steel, NPL

Item No.: # 22.02.200






SHELF SUPPORT w/soft plastic screw

Material: Zamak, nickel plated

Sizes:

D	Ø	L	Item No.:
8 mm	5 mm	8 mm	# 22.02.231
5 mm	5 mm	8 mm	# 22.02.230






SHELF SUPPORT W/SUCTION PAD

Material: Zamak, nickel plated

Model:	**Item No.:**
No. 213	# 22.02.240

213






SHELF SUPPORT W/SUCTION PAD

Material: Zamak, nickel plated

Model:	**Item No.:**
No. 215	# 22.02.241


215





SHELF SUPPORT - "Single" - Brass - w/1 black rubber ring


Material:	Brass, nickel plated
Size:	Ø12 x 18 mm
Bore:	Ø8 mm
Glass thickness:	6 - 8 mm
Item No.:	# 22.02.115





SHELF SUPPORT - "Double" - Brass - w/2 black rubber rings


Material:	Brass, nickel plated
Size:	2 pcs each Ø12 x 18 mm
Bore:	Ø8 mm
Glass thickness:	6 - 8 mm
Item No.:	# 22.02.116







SHELF SUPPORT - "Double" - Steel - w/2 transparent rings

Material:	Steel, chrome plated
Size:	2 pcs each Ø12 x 19 mm
Bore:	Ø8 mm
Glass thickness:	4 – 8 mm
Item No.:	# 22.02.111





EXTRA RUBBER washer for shelf support # 22.02.115 & 116
Transparent
Item No.: # 22.02.114






SHELF SUPPORT - Cylindrical Mounting with wood screw Ø4,5 mm

Material: Zamak


Finish:	Ø	Size	Item No.:
CPL	Ø17 mm	4 - 6 mm	# 22.02.220
ALU	Ø17 mm	4 - 6 mm	# 22.02.221
CPL	Ø20 mm	8 -10 mm	# 22.02.210
ALU	Ø20 mm	8 -10 mm	# 22.02.213





GLASS SHELF SUPPORT „SQUARE“ w/Ø4 mm screw hole, CSK

Material:	Zamak
Size: (W/H/D)	30 x 27 x 16 mm
Glass thickness:	4 - 8 mm
Finish:	**Item No.:**
Chrome plated	# 22.02.560
Alu finish	# 22.02.561
SS-look	# 22.02.563






SHELF SUPPORTS FOR GLASS

GLASS SHELF SUPPORT „SQUARE“ "X-STRONG"


Material:	Zamak
Size: (W/H/D)	30 x 30 x 27 mm
Glass thickness:	4 - 8 mm
Mounting:	Ø4 mm CSK hole
Finish:	**Item No.:**
Chrome plated	# 22.02.610
Alu finish	# 22.02.611





GLASS SHELF SUPPORT „SQUARE XL“


Material:	Zamak
Size: (W/H/D)	100 x 16 x 27 mm
Glass thickness:	4 - 8 mm
Mounting:	Ø4 mm CSK hole
IFinish:	**Item No.:**
Chrome plated	# 22.02.565
Alu finish	# 22.02.566





GLASS SHELF SUPPORT ”SHELFIE”


Material:	Zamak
Size: (W/H/D)	100 x 30 x 27 mm
Glass thickness:	6 - 8 mm
Mounting:	Ø 5 mm CSK Holes
Item No.:	# 22.02.625





GLASS SHELF SUPPORT „HALF MOON“ w/Ø4 mm screw hole, CSK


Material:	Zamak
Size: (W/H/D)	50 x 16 x 27 mm
Glass thickness:	4 - 8 mm
Finish:	**Item No.:**
Chrome plated	# 22.02.570
Alu finish	# 22.02.571
SS-look	# 22.02.573





GLASS SHELF SUPPORT „HALF-MOON“ "X-STRONG"


Material:	Zamak
Size: (W/H/D)	50 x 30 x 27 mm
Glass thickness:	4 - 8 mm
Mounting:	Ø4 mm CSK hole
Finish:	**Item No.:**
Chrome plated	# 22.02.620
Alu finish	# 22.02.621





GLASS SHELF SUPPORT „MUS“ w/Ø4 mm screw hole, CSK


Material:	Zamak
Size: (W/H/D)	15 x 16 x 27 mm
Glass thickness:	6 - 10 mm
Finish:	**Item No.:**
Chrome plated	# 22.02.600
Alu finish	# 22.02.601
SS-look	# 22.02.603





GLASS SHELF SUPPORT „CYLINDRICAL“ F/GLASS WALL FIXING


Material:	Brass
Size:	Ø20 x 26 mm
Glass thickness:	6 - 10 mm
Item No.:	
Chrome plated	# 22.02.235





GLASS SHELF SUPPORT „CYLINDRICAL“ W/M6 mm screw hole

Material:	Zamak
Size:	Ø20 x 26 mm
Glass thickness:	6 - 10 mm
Finish:	**Item No.:**
Chrome plated	# 22.02.226
Alu finish	# 22.02.227
SS-look	# 22.02.228






GLASS SHELF SUPPORT „DOME“ SMALL w/Ø4 mm screw hole, CSK

Material:	Zamak, Chrome plated
Size: (W/H/D)	37 x 19 x 18 mm
Glass thickness:	4 - 7 mm
Item No.	# 22.02.575

Inclusive screws and wall plugs






GLASS SHELF SUPPORT „DOME“ LARGE w/Ø5 mm screw holes, CSK

Material:	Zamak
Size: (W/H/D)	49 x 24 x 23 mm
Glass thickness:	7 - 10 mm
Finish:	**Item No.:**
Chrome plated	# 22.02.580

Inclusive screws and wall plugs






GLASS SHELF SUPPORT „RECTA“ LARGE w/Ø5 mm screw holes, CSK

Material:	Zamak, Chrome plated
Size: (W/H/D)	50 x 26 x 25 mm
Glass thickness:	4 - 10 mm
Item No.	# 22.02.595

Inclusive screws and wall plugs







CABLE SIGN SYSTEM F/WALL MOUNTING
ALUMINIUM ANODIZED

1 SET CONSISTS OF:
2 x 2 meters ø 1,5 mm SS 304 wire
2 x top fixings & 2 bottom fixings with spring tension
Suitable for A1, A2, A3 & A4 signs
(Sign holders to be bought separately)


Item No. # 22.12.050









Top fixing






Bottom fixing



CABLE SIGN HOLDERS IN ALUMINIUM

Size: ø 16 x 27 mm
Display thickness from 6 - 8 mm
4 pcs per sign is needed

Item No. # 22.12.060






CABLE SHELF SYSTEM F/WALL MOUNTING
ALUMINIUM ANODIZED


- high quality furniture fittings

1 SET CONSISTS OF:
2 x 4 meters ø 3 mm SS 304 wire
2 x top fixings & 2 bottom fixings with spring tension
4 x shelf sticks
Max 20 kg per shelf
Max shelf size: 330 x 500 mm (D/L)
(Shelf holders to be bought separately)


Item No. # 22.12.000








Bottom fixing






Top fixing






Shelf stick



CABLE SHELF HOLDERS IN ALUMINIUM

Size: ø 16 x 27 mm
Display thickness from 6 - 8 mm
4 pcs per shelf is needed

Item No. # 22.12.010






ADJUSTABLE SHELF SUPPORT „PELICANS“

MODEL NO. 53
For glass & wood shelves

Material:	Zamak
Shelf thickness:	4 - 40 mm
Max load:	40 kg

Finish:	**Item No.:**
Alu finish	# 22.02.550
Polished chrome	# 22.02.552
SS-look	# 22.02.553






MODEL NO. 52
For glass & wood shelves

Material:	Zamak
Shelf thickness:	4 -2 6 mm
Max load:	30 kg

Finish:	**Item No.:**
Alu finish	# 22.02.545
Mat nickel	# 22.02.546
SS-look	# 22.02.548






MODEL NO. 45
For glass & wood shelves

Material:	Zamak
Shelf thickness:	4 - 10 mm
Max load:	20 kg

Finish:	**Item No.:**
Polished chrome	# 22.02.495
SS-look	# 22.02.496






MODEL NO. 47
For glass & wood shelves

Material:	Zamak
Shelf thickness:	4 - 22 mm
Max load:	20 kg

Finish:	**Item No.:**
Mat chrome coated	# 22.02.510
SS-look	# 22.02.513






MODEL NO. 49
For glass & wood shelves

Material:	Zamak
Shelf thickness:	4 - 19 mm
Max load:	20 kg

Finish:	**Item No.:**
Chrome plated	# 22.02.525
Alu finish	# 22.02.526
SS-Look	# 22.02.527
Black Mat	# 22.02.528






MODEL NO. 54
For glass & wood shelves

Material:	Zamak
Shelf thickness:	4 - 40 mm
Max load:	20 kg

Finish:	**Item No.:**
Chrome plated	# 22.02.555
Alu finish	# 22.02.556
SS-Look	# 22.02.557
Black Mat	# 22.02.558






MODEL NO. 43
For glass & wood shelves

Material:	Zamak
Shelf thickness:	4 - 24 mm
Max load:	20 kg

Finish:	**Item No.:**
Alu finish	# 22.02.471
Matt nickel	# 22.02.474






MODEL NO. 44
For glass & wood shelves

Material:	Zamak
Shelf thickness:	4 - 24 mm
Max load:	20 kg

Finish:	**Item No.:**
Matt nickel	# 22.02.479





"SLOPE" SHELF BRACKET - F/SLOPING WALLS

"Slope" is an ideal shelf bracket solution for roof top apartments, bathrooms, living rooms, offices or shops where you have sloping walls. The "Slope" can be used for both wood & glass shelves.

Specifications:
Adjustable from 90 - 156°

Max depth of shelf: 45 cm

Max load: 30 kg when using 2 brackets

Size: 335 x 113 x 23,5 mm (L/H/W)

Material: Stainless Steel 304

Item No.:

Brushed	# 22.02.800
Polished	# 22.02.801
Raw	# 22.02.802

Incl.:
2 Socket Screws M6x8mm DIN 7984
2 x CSK Chipboard Screws 5 x 50mm
2 Plastic Wall Plugs Ø8 x 50mm
1 x 4mm L-shaped Hex Key
2 Flat Washers
3 x Suction Pads F/Glass Shelves
1 x Installation manual














Contents




Tools needed




1.




Set marks at desired location



2.




3.




Insert plug + screw

4.




Adjust screw for tight fit

5. Insert included suction pads when combined with glass shelf




Assemble the "SLOPE" set

6.



Use leveler for adjusting. Smartphone may be used with suitable app.
Tighten by allen key



ZAMAK GLASS CLAMP
F/WALL MOUNTING


MODEL "LARGE"

Application:
Balconies, balustrade, shelfs etc.


Material: Zamak

With round rubber cushions
For glass thickness 6 - 8 mm

Finish:	**Item No.:**
Chrome plated	# 22.10.150
Gold plated	# 22.10.151
Matt nickel plated	# 22.10.152










MODEL "MEDIUM"

Application:
Balconies, balustrade, shelfs etc.

Material: Zamak

With flat rubber cushions
For glass thickness 6 - 8 mm

Finish:	**Item No.:**
Chrome plated	# 22.10.160
Matt nickel plated	# 22.10.161








MODEL "SMALL"

Application:
Balconies, balustrade, shelfs etc.

Material: Zamak

With flat rubber cushions
For glass thickness 4 - 5 mm

Finish:	**Item No.:**
Chrome plated	# 22.10.165
Matt nickel plated	# 22.10.166







ZAMAK GLASS CLAMP
F/TUBE MOUNTING

- high quality furniture fittings

SISO DENMARK


MODEL "L" F/Ø45 mm TUBE

Application:
Balconies, balustrade, staircases etc.

Material: Zamak

With round rubber cushions
For glass thickness 6 - 8 mm

Finish:	**Item No.:**
Chrome plated	# 22.10.170
Matt nickel plated	# 22.10.171






MODEL "M" F/Ø38 mm TUBE

Application:
Balconies, balustrade, staircases etc.

Material: Zamak

With flat rubber cushions
For glass thickness 6 - 8 mm

Finish:	**Item No.:**
Chrome plated	# 22.10.175
Matt nickel plated	# 22.10.176








MODEL "S" F/Ø31 mm TUBE

Application:
Balconies, balustrade, staircases etc.

Material: Zamak

With flat rubber cushions
For glass thickness 4 - 5 mm

Finish:	**Item No.:**
Chrome plated	# 22.10.180
Matt nickel plated	# 22.10.181







PARTITION PANEL SUPPORT CLAMP



Application
Ideal for desktop hygiene screens in hospitals, airports, hotels, shopping malls, offices, schools etc. Easy to install.
No drilling required in panel or desktop.

Material: Aluminum
Size: 66 x 300 x 80 mm (H/L/W)
Panels thickness: 6 - 8 mm
Max panel size: 1500 x 1000 x 8 mm (L/H/T)


Item No.:


Silver painted	# 22.10.830
Black matt	# 22.10.831

Incl. 3 white plastic gaskets in 1 mm thickness.

Attention
Sold per piece.
Packed in cartons of 2 pieces.















- Ideal for privacy panel between desks or as sneeze guard for work stations
- Our partition panel clamps may be used with glass, acrylic, polycarbonate, wood, metal etc.
- Hold panels from 4 – 8 mm
- Easy to install.


PARTITION PANEL CLAMP "TOP FIX"	
Material:	**Aluminum**
Panel thickness:	**4 – 8 mm**
White painted	# 22.10.800
Black painted	# 22.10.801
Silver painted	# 22.10.802


















PARTITION PANEL CLAMPS


PARTITION PANEL CLAMP "CLAMP ON"

Material:	**Aluminum**
Panel thickness:	**4 – 8 mm**
White painted	# 22.10.805
Black painted	# 22.10.806
Silver painted	# 22.10.807

Incl.: 3 Pcs of Bolts M6x25 mm & 3 Pcs. of Plastic Caps











PARTITION PANEL CLAMP "BACK TO BACK"

Material:	**Aluminum**
Panel thickness:	**4 – 8 mm**
White painted	# 22.10.810
Black painted	# 22.10.811
Silver painted	# 22.10.812

Incl.: 4 Pcs of Bolts M6x25 mm & 4 Pcs. of Plastic Caps









Application:
Pivot hinge for inset doors. Top & bottom hinge.
With catch function. Drilling required.
Angle adjustment by use of sloping gaskets.
160 degrees opening.

Cabinet panel thickness from 10mm.

Material: Aluminum – chrome pl. or black matt
Size: 45 x 85 x 43 mm (W/L/H)
Door thickness: 8 – 12 mm
Drilling: Ø 12 mm
Max load capacity: 38 kg per door.
Max. door size: 600 x 2000 x 12mm (W/H/T)

1 pair = 1 top + 1 bottom hinge

Item No.:
Chrome plated # 15.06.080
Black matt # 15.06.082


Incl. 6 CSK steel screws Ø6 x 18 mm, 4 transparent PVC gaskets in 1mm & 2 black PA sloping gaskets for angle adjustment.




TÜV Approved
EN 15570:2008
80.000 Cycles












PIVOT HINGE "HODOR" INSTALLATION




A = Flush installation.


B = Elevated installation 4,5mm.










Angle adjustment by use of sloping gaskets.











Application
Zamak cabinet hinge w/stainless steel axle. 180° opening. For inset doors. With adjustable catch function & visible axle. Easy installation. No milling/cutting required.

Material
Zamak - chrome plated or black matt


Size
50 x 56,5 mm


Door thickness
8-10 or 14-16 mm

Item No.:

8-10 mm - Chrome plated	# 15.04.105
8-10 mm - Black matt	# 15.04.106
14-16 mm - Chrome plated	# 15.04.110
14-16 mm - Black matt	# 15.04.111


Incl. 4 Euro screws Ø6,3 x 10 mm + 2 CSK steel screws 3,5 x 10 mm
& 2 black or white PA6 gaskets - 1 mm








Catch adjustment













Item No.	X: Door thickness
15.04.105/15.04.106	8 - 10 mm
15.04.110/15.04.111	14 - 16 mm





FRONT COVER "EASY" F/GLASS OR WOOD

Application
Front cover f/glass or wooden doors.
Drilling required

Material
Zamak - chrome plated or black matt

Size
55 x 30 mm

Drilling: Ø10 mm (wood) & Ø14mm (glass)

Door thickness: 8-10 or 14-16 mm


Item No.:
Chrome plated # 15.04.125
Black matt # 15.04.126


Incl. SS 2 PZ screws M6 x 10 mm
+ 2 PZ screws M6 x 10 x 16 mm
& 1 white or black PA6 gasket - 0,8 mm

















Door thickness	X:
15.04.105/15.04.106	8 - 10 mm
15.04.110/15.04.111	14 - 16 mm

Application
Fixing cap f/glass or wooden doors
Drilling required

Material
Stainless steel SS-304 - brushed or black matt

Size
Ø20 x 9 mm, M6 thread

Drilling
Ø10 mm (wood) & Ø14 mm (glass)

Door thickness
8-10 or 14-16 mm

Item No.:

Brushed	# 15.04.120
Black matt	# 15.04.121

Incl. plastic washer, white or black POM
Fixing screws to be bought separately






















ACCESSORIES F/CABINET HINGE "EASY"

Fixing screw set, SS-304 black, 2 x M6 x 10 mm
& 2 x M6 x 16 mm

Item No.: # 15.04.122

Gasket set, 3 pcs, Black PA -To be used according to design

Item No.: # 15.04.123



GLASS DOOR HINGE "OBSESSION"
F/8-10 MM

SISO DENMARK - *high quality furniture fittings*

Application:
Glass door hinge for inset doors.
For wood/glass or glass/glass cabinets
With adjustable catch function.
Drilling required. 135 degrees opening
Vertical height adjustment
Material: Brass – chrome plated or black matt

Size:	65 x 55 x 55,5 mm
Glass thickness:	8 – 10 mm
Max door size:	650 x 2000 x 10 mm
Drilling:	Ø 14 mm
Max load capacity:	16 kg per hinge

Item No.:

Chrome plated	# 15.06.480
Black matt	# 15.06.481






TÜV Approved
EN 15570:2008
80.000 Cycles







DESIGN REGISTERED





Obsession Hinge: 15.06.480/481











MOUNTING PLATE "SMART-FIX" F/"OBSESSION"

- high quality furniture fittings

SISO DENMARK


Application:
Mounting plate for easy click fixing of the hinge


Material:	Brass – chrome plated or black matt
Size:	37 x 52,5 x10 mm
Item No.:	
Chrome plated	# 15.06.485
Black matt	# 15.06.486














Obsession Hinge: 15.06.480/481

Smart Fixation plate: 15.06.485/486



FRONT COVER F/GLASS WALL FIXING F/"OBSESSION"

Application:
Front cover for glass/glass cabinets

Material:	Brass – chrome plated or black matt
Size:	61 x 60 x 13 mm

Item No.:

Chrome plated	# 15.06.490
Black matt	# 15.06.491


Incl. 1 x CSK Screw M6x14mm,
2 x Pan Head Screws M6 x 10 mm,
1 x POM Tube ø12x8mm &
1 x POM Tube ø12 x 10mm








Front cover: 15.06.490/491




Obsession Hinge: 15.06.480/481

Smart Fixation plate: 15.06.485/486







CABINET DOOR HINGE "BONSAI" FOR 12MM PANELS

- high quality furniture fittings

Application:
For inset doors
For wood/glass or wood/wood (HPL) cabinets
Drilling/cutting required
92 or 182 degrees opening

Material: Brass
Size: 42 x 20 x 31 mm
Cabinet panel thickness: 12 mm

Door thickness: 4 - 6 mm
Max door size: 600 x 2000 x 6 mm
Max load capacity: 5 kg per hinge

Item No.:

Chrome plated	# 15.06.530
Black matt	# 15.06.531
Brass polished	# 15.06.532










PATENTED










Standard opening angle: -1° to 92°









GLASS DOOR HINGES "MINI" WITH FRONT COVER

GLASS DOOR HINGE "MINI"


Application:
For inset or full overlay doors

Material: Steel hinge & plastic cup
Opening: 95 DG
Glass thickness: 4 -6 mm
Glass drilling: ø 26 mm
Hinge arm: Slide-on type
Finish: Nickel Plated


Type A = Full overlay doors
0 mm cranking # 15.01.701

Type C = Inset doors
17 mm cranking # 15.01.711






Application case
of glass hinge Ø26 mm
H - height of mounting plate
D - panel thickness
K - drilling distance from the edge of glass door to the edge of the hole
A - gap between door and side board



D / K / H	4	5	6
1,5	15	16	17

A / K / H	4	5	6
1,5	2,5	1,5	0,5



COVER CAPS FOR HINGE "MINI"

COVER CAPS FOR HINGE "MINI"

Material: Plastic - PA

Round cover - ø30 mm
Chrome Pl. # 15.01.820
Alu look # 15.01.821
Black # 15.01.822

Oval cover - 40 x 30 mm
Chrome Pl. # 15.01.830
Alu look # 15.01.831
Black # 15.01.832



GLASS DOOR HINGE "SMART-92°"
WITH FRONT COVER

- high quality furniture fittings

SISO DENMARK

GLASS DOOR HINGE "SMART-92°"

Application
For inset doors. Ideal for furniture where only a very narrow wooden side-wall/pole is available.
Direct fixing to side-wall/pole without any mounting plate

Mounting

Glass door drilling:	Ø26 mm
Glass thickness:	4-6 mm
C.C. 32 mm	

Material


Hinge arm:	Zamak, nickel plated
Hinge cup:	Black plastic
Item No.	# 15.01.000

Plastic cover cap Ø32 mm

Finish

Alu finish	# 15.01.050






SOFT CLOSE MINI
GLASS DOOR HINGE Ø 26 MM - 95°

SOFT CLOSE
CLIP-ON
F/ 4-6 MM GLASS
Ø 26 MM



Standard model

Hinge w/mounting plate f/easy up & down adjustment (optional)




H =	height of mounting plate
D =	required door overlay
K =	drilling distance from the edge of door to the edge of the cup hole
A =	gap between door and side panel
L =	gap between door and carcase

Full overlay (A)




D= 17,5 mm

Half overlay (B)



D= 8,5 mm

Inset (C)




A= 1,0 mm

SOFT CLOSE MINI
GLASS DOOR HINGE Ø 26 MM - 95°

- high quality furniture fittings








SISO DENMARK


Cup drawing




Opening angle:	95°
Depth of hinge cup:	10,6 mm
Diameter of hinge cup:	26 mm
Possible drilling distances on the glass door (K):	4-7 mm
Glass door thickness:	4-6 mm



Steel - Nickel Plated		Item No.	D: Overlay calculations / A: Gap between door and side panel / L: Gap between door and carcase
Full overlay (A) 		15.01.720 Incl. SISO name plate + mounting plate H = 0	D / K / H: 4: 14,5 15,5 16,5 17,5 — 2: 12,5 13,5 14,5 15,5 — 0: 10,5 11,5 12,5 13,5 L / K / T: 4: 0 0 1 2 — 5: 0 0,1 1,1 2,1 — 6: 0 0,2 1,2 2,2
Half overlay (B) 		15.01.721 Incl. SISO name plate + mounting plate H = 0	D / K / H: 4: 5,5 6,5 7,5 8,5 — 2: 3,5 4,5 5,5 6,5 — 0: 1,5 2,5 3,5 4,5 L / K / T: 4: 0 0 1 2 — 5: 0 0,1 1,1 2,1 — 6: 0 0,2 1,2 2,2
Inset (C) 		15.01.722 Incl. SISO name plate + mounting plate H = 0	A / K / H: 4: 4,5 5,5 6,5 7,5 — 2: 6,5 7,5 8,5 9,5 L / K / T: 4: 0 0 1 2 — 5: 0 0,1 1,1 2,1 — 6: 0 0,2 1,2 2,2
		H = 0 f/chipboard screws Clip-on	Delivered as standard mounting plate with all hinges. Chipboard screws to be ordered separately.
		15.03.724-0 H = 0 f/euro screws Clip-on	To be ordered separately if easy up & down adjustment is wanted. Pre-mounted euro screws included.



15.01.830 , ABS
Chrome plated cover



15.01.831 , ABS
Alu plated cover



15.01.820 , ABS
Chrome plated cover



15.01.821 , ABS
Alu plated cover


SOFT CLOSE MAXI GLASS DOOR HINGE Ø 35 MM -100°



Standard model

SOFT CLOSE
CLIP-ON
F/ 4-6 MM GLASS
Ø 35 MM

Hinge w/mounting plate f/easy up & down adjustment (optional)




H =	height of mounting plate
D =	required door overlay
K =	drilling distance from the edge of door to the edge of the cup hole
A =	gap between door and side panel

Full overlay (A)




D= 19 mm

Half overlay (B)



D= 10 mm

Inset (C)



A= 1 mm

SOFT CLOSE MAXI GLASS DOOR HINGE Ø 35 MM -100°







- high quality furniture fittings

Cup drawing



Opening angle:	100°
Depth of hinge cup:	11,3 mm
Diameter of hinge cup:	35 mm
Possible drilling distances on the glass door (K):	4-6 mm
Glass door thickness:	4-6 mm



Steel - Nickel Plated		Item No.	D: Overlay calculations / A: Gap between door and sidepanel
Full overlay (A) 		15.01.715 Incl. SISO name plate + mounting plate H = 0	D / K / H: 0: 16 17 18; 2: 14 15 16; 4: 10 11 12
Half overlay (B) 		15.01.716 Incl. SISO name plate + mounting plate H = 0	D / K / H: 0: 7 8 9; 2: 5 6 7; 4: 3 4 5
Inset (C) 		15.01.717 Incl. SISO name plate + mounting plate H = 0	A / K / H: 0: 2 3 4; 2: 4 5 6; 4: 6 7 8
		H = 0 f/chipboard screws Clip-on	Delivered as standard mounting plate with all hinges. Chipboard screws to be ordered separately.
		15.03.724-0 H = 0 f/euro screws Clip-on	To be ordered separately if easy up & down adjustment is wanted. Pre-mounted euro screws included.


15.01.810 , ABS
Chrome plated cover


15.01.811 , ABS
Alu plated cover


15.01.800 , ABS
Chrome plated cover


15.01.801 , ABS
Alu plated cover


GLASS DOOR HINGE "NICE"

MODEL "NICE"

Finish
Chrome plated w/catch # 15.06.450

Material
Brass

Mounting
Inset doors 4-6 mm thickness
without catch
Opening angle: 105°
universal top or bottom
height can be adjusted.
Drill size 19 mm diam.





GLASS DOOR HINGE "GRACE" SS304 FOR WOOD/GLASS


MODEL "GRACE"

Mounting: Glass: ø 10 mm boring holes
Wood: 7 x 4 mm screw holes
Material: Stainless steel 304 - polished
Hinge size: 52 x 31 x 13 mm (H/W/D)
Glass thickness: 5 - 8,76 mm
Max door size: 650 x 900 mm
Max door weight: 6 kg per hinge

Function: Inset or half-overlay
Opening 180°

Inset: # 15.06.470
Half-overlay: # 15.06.471

Each hinge is supplied with 2 white cushions 1 mm thickness







GLASS DOOR HINGE "SOFIA"
GLASS TO GLASS 180°

- high quality furniture fittings


Application:
Suitable for glass door
Drilling/cutting required

Opening: 180°
Glass thickness: 6 mm
Material: Brass

1 hinge consists of:
1 hinge 54,5 x 73 mm
4 transparent cushions 1 mm thickness
4 transparent tubes ø12 mm
1 L-shaped hex key 4 mm

Finish:
Chrome plated # 15.23.050

Packing:
20 pcs per carton





GLASS DOOR HINGE "ROME"
GLASS TO GLASS 180°


Application:
Suitable for glass door
Drilling/cutting required

Opening: 180°
Glass thickness: 6 - 8 mm
Material: Brass

1 hinge consists of:
1 hinge 100 x 40 mm
4 transparent cushions 1 mm thickness
2 transparent tubes ø12 mm
1 L-shaped hex key 4 mm

Finish:
Chrome plated # 15.23.055

Packing:
20 pcs per carton





GLASS CLAMP "ROME"
WALL TO GLASS 90°


Application:
Suitable for glass door
Drilling/cutting required


Angle: 90°
Glass thickness: 6 - 8 mm
Material: Brass

1 clamp consists of:
1 clamp 50 x 50 mm
2 transparent cushions 1 mm thickness
1 transparent tubes ø12 mm
2 cover caps
1 L-shaped hex key 4 mm
1 wall plug
1 wall mounting screw

Finish:
Chrome plated # 15.23.770

Packing:
20 pcs per carton





GLASS DOOR HINGE "BOSCH" GLASS/GLASS

Model "BOSCH"

Material
3 mm brass


Hinge size: 30 x 80 mm (H/W)

Function
Inset or overlay doors

Glass thickness: 6 - 8 mm
Opening angle: 270°
Drilling: ø11 mm

Finish
Chrome plated # 15.06.500





GLASS DOOR HINGE "BOSCH" WALL/GLASS

MODEL "BOSCH" F/WALL TO GLASS

Material
Brass, Chrome plated


Size
Hinge: 25 x 30 mm (H/W)
Mounting plate: 25 x 12 mm (H/W)


Function
Inset doors


Glass thickness: 6 - 8 mm
Drilling: ø11 mm

Finish
Chrome plated # 15.06.520










MODEL "ELEGANT"


Material
Natural brass


Finish
Brushed natural brass # 15.06.460
Brushed nickel # 15.06.461


Mounting
Inset doors 6 mm thickness
Opening 270º
Drill size 12 mm


Packing
40 pcs












GLASS DOOR HINGE "JONES"


MODEL "JONES"


Material
Brass, Chrome plated


Overlay doors 4-8 mm glass
Drill size ø19 mm
Opening 170°
Max door weight: 15 kg per hinge

Item No. # 15.06.472









Recommended door hole min. Ø20 mm


SOFT CLOSE MIRROR HINGE - FOR UV-GLUE

Features
Opening angle: 125°
F/UV-glue
Clip-On
F/3 - 6 mm glass
W/Soft close pump
Universal. Can be used for both inset, half-overlay & overlay doors

Finish
Nickel plated


Item No. # 15.03.750








Space needed to open the door




A / T / K	3	4	5	6
1,5	13,6	14,4	15,2	16,1
3,0	11,2	12,1	12,9	13,8
4,5	8,9	9,8	10,7	11,6
6	6,8	7,7	8,6	9,5
7,5	4,2	5,0	5,8	6,6
8	2,8	3,8	4,8	5,8
-	-	-	-	-
16,5	0	0	0,3	0,8




L / T / K	3	4	5	6
1,5	0	0	0	0
3,0	0	0	0	0
3,5	0	0	0	0
-	-	-	-	-
16,5	0	0	0	0

Full overlay (A)




D= 14 mm

Half overlay (B)




D= 6,5 mm


Inset (C)



A= 2,5 mm


Full overlay (A) - Item No.: # 15.03.750






Half overlay (B) - Item No.: # 15.03.750






Inset (C) - Item No.: # 15.03.750











H = 0
f/chipboard
screws
Clip-on

Delivered as standard mounting plate with all hinges. Chipboard screws to be ordered separately.





LIFT-OFF BUTT HINGE SS304 FOR UV-GLUE


Mounting: By UV-glue B 682-0 from Bohle.
UV-lamp is needed

Material: 2,5 mm stainless steel 304 - polished

Hinge size: 65 X 50 mm (H/W)

Function: Inset doors
Max door width 500 mm
Load capacity: 7,5 KG per pair
Opening angle 270°
Glass thickness: 4-8 mm

Right hand: # 15.13.590
Left hand: # 15.13.600





Right hand

BUTT HINGE SS304 FOR UV-GLUE


Mounting: By UV-glue B 682-0 from Bohle.
UV-lamp is needed

Material: 2 mm stainless steel 304 - polished

Hinge size: 65 x 50 mm (H/W)

Function: Inset doors
Max door width 500 mm
Load capacity: 7,5 KG per pair
Opening angle 270°
Glass thickness: 4-8 mm

Item No: # 15.13.105






GLASS DOOR HINGE BRASS FOR UV-GLUE

Mounting:
By UV-glue B 682-0 from Bohle
UV-lamp is needed
Material:
2,9 mm Brass - Chrome Plated
Hinge size: 60 x 60 mm (H/W)

Function:
Inset doors
Max door width 500 mm

Load Capacity: 7,5 Kg per pair
Opening: 270°
Glass thickness: 4-8 mm

Finish:
Chrome Plated (CPL) # 15.13.110
SS-Look (nickel brushed) # 15.13.111





PIVOT HINGE FOR UV GLUE, SS-304


Description:
Pivot hinge for UV-glue, max 12 mm glass thickness, max load cap. 10 kg per pair.


A threaded pin in the hinge allows the door to be removed after gluing.

Finish:
Brushed SS-304

Item No:

Pivot Hinge ø 20 mm	# 15.06.015
Pivot Hinge ø 30 mm	# 15.06.016





PIVOT HINGE FOR UV GLUE, SS-304


Description:
Pivot hinge for UV-glue, 6-10 mm glass thickness, 180°, max load cap. 5 kg per hinge.

For the door a lateral overhang of at least 28 mm must be considered on the cabinet.

Finish:
Brushed SS-304

Item No:

Pivot Hinge ø 24 mm	# 15.06.010
Pivot Hinge ø 44 mm	# 15.06.011






MAGNETIC CATCH FOR UV GLUE, SS-304

Description:
Magnetic catch for UV glue, magnetic locking-force 2 kg.

Finish:
Brushed SS-304

Item No:

Magnetic catch 30x12x12 mm	# 22.01.140-5
Magnetic catch 11x12x12 mm	# 22.01.145





GLASS DOOR HINGE 11.300 - NO DRILLING

MODEL
No. 11.300 **inset doors**

Material: Steel
Chrome plated # 15.06.036
Alu finish # 15.06.038

Mounting: Top + Bottom
Inset Doors, max 4-6 mm
Complete with nylon bushings

Front plate:
Size: 50 x 23 mm - polished


Packing:
Each pair (Right + Left)
is packed in a polybag complete
with bushings & steel screws w/soft tip

BALL CATCH # 15.06.077
Material: Brass
Size: Ø 8 mm x 8 mm

Optional, to be ordered separately



(Optional)



GLASS DOOR HINGE 11.561 - NO DRILLING

MODEL
No. 11.561 **inset doors**

Material:
SteelChrome plated # 15.06.096
Black anodized # 15.06.095
Alu finish # 15.06.098


Mounting:
Top + BottomInset Doors, max 5 mm.
Complete with nylon bushings, steel screws

Front plate:
Size: 40 x 14,5 mm

Optional, to be ordered separately
BALL CATCH # 15.06.077
Material: Brass
Size: Ø 8 mm x 8 mm



(Optional)



GLASS PIVOT HINGE "STAINLESS STEEL" - NO DRILLING

- high quality furniture fittings

SISO DENMARK

MODEL "SMALL"


Mounting:
Inset doors. Complete with brass bushings & soft tip screws


Material:
2 mm stainless steel, polished

Hinge size: 42 x 20 x 13 mm (W/H/D)
Bushing size: ø9 x 8 mm
Glass thickness: 6 mm

Item No. # 15.06.060

Packing:
70 pairs per carton





MODEL "MEDIUM"

Mounting:
Inset doors. Complete with brass bushings & soft tip screws


Material:
2 mm stainless steel, polished

Hinge size: 52 x 26 x 16 mm (W/H/D)
Bushing size: ø10 x 9 mm
Glass thickness: 8 mm

Item No. # 15.06.062

Packing:
70 pairs per carton





MODEL "LARGE"

Mounting:
Inset doors. Complete with brass bushings & soft tip screws


Material:
2 mm stainless steel, polished

Hinge size: 71 x 35 x 17 mm (W/H/D)
Bushing size: ø10 x 9 mm
Glass thickness: 10 mm

Item No. # 15.06.064

Packing:
70 pairs per carton







GLASS PIVOT HINGE "BRASS" - NO DRILLING

Mounting: Inset doors. Complete with brass bushings & soft tip screws

Material:	3 mm brass
Hinge size:	42 x 27 x 16 mm (W/H/D)
Bushing size:	Ø 8 x 11 mm
Glass thickness:	4 - 8 mm
Chrome plated	# 15.06.070
Alu finish	# 15.06.071
SS - Look	# 15.06.072
Black anodized	# 15.06.074





GLASS DOOR HINGE A-11 - NO DRILLING


MODEL NO. A-11	**w/Catch inset doors**
Material:	Zamak
Chrome plated	# 15.06.126
Brass plated	# 15.06.120
Black anodized	# 15.06.127

Mounting:
Inset doors, max 5-6 mm
Side fixation

Front plate:
Size: 25 x 25 mm - framed & sparkled

Packing:
Each pair (Right + Left) incl. pads/cushions is packed in a polybag
200 pairs per box





GLASS DOOR HINGE D-13/2 - NO DRILLING

- high quality furniture fittings

MODEL w/Catch
NO. D 13/2 inset doors


Material: Zamak
Chrome plated # 15.06.102
Bronze plated # 15.06.103

Mounting:
Inset doors, max 5 mm

Front plate:
Size 40 x 30 mm sparkled

Packing:
Each pair (right + left) incl. pads/cushions is packed in a polybag
50 pairs per box
200 pairs per export carton





GLASS DOOR HINGE D-16 - NO DRILLING

MODEL D-16 **w/Catch OVERLAY DOORS**


Material:
Zamak


Finish
Chrome plated # 15.06.415
Brass plated # 15.06.410

Mounting:
Overlay doors, max 5 mm

Front plate:
Size: 40 x 30 mm, sparkled

Packing:
Each pair (Right + Left) incl. pads/cushions is packed in a polybag
150 pairs per box





GLASS DOOR HINGE C-13 CENTER - NO DRILLING

MODEL C-13 **w/Catch INSET DOORS**

Material: Zamak L/R


Chrome plated # 15.06.311/321
Black anodized # 15.06.313/323

Mounting:
Inset doors, max 5 mm
Centre- or Top fixation for rounded doors

Front plate:
Size: 40 x 30 mm - framed & sparkled

Packing:
100 pairs per box
400 pairs per export carton






MAGNETIC TOUCH LATCHES

MAGNETIC TOUCH LATCH
Knock in type
- No striker included

Finish: Black Plastic # 22.01.095
Bore: Ø 11 x 38 mm

Packing
350 pcs per box
2800 pcs per export carton






MAGNETIC TOUCH LATCH
- SINGLE
Screw on - No striker included
- round type

Finish: black plastic # 22.01.070
Fixation: c.c. 22 mm

Packing
250 pcs per box
1000 pcs per export carton






MAGNETIC TOUCH LATCH
- DOUBLE
Screw on - no striker included
- round type

Finish: black plastic # 22.01.088
Fixation: c.c. 18 mm/51 mm

Packing
500 pcs per box






MAGNETIC TOUCH LATCH
- SINGLE
Screw on - no striker included
- square type

Finish: black plastic # 22.01.075
Fixation: c.c. 32 mm

Packing
250 pcs per box
1000 pcs per export carton






MAGNETIC TOUCH LATCH
- DOUBLE
Screw on - no striker included
- square type

Finish: black plastic # 22.01.087
Fixation: c.c. 32 mm/64 mm

Packing
125 pcs per box
500 pcs per export carton





MAGNET TOUCH LATCH "SLIM" W/STRIKER

Application: Push-to-open touch latch for doors and drawers with magnet & striker. Suitable for wood & glass fronts

Material: Black ABS, White ABS, Grey ABS RAL 7040


Overall size: 84,5 mm x 14,5 mm


Extended: 105 mm


Item No.:
22.01.104 (White)
22.01.105 (Black)
22.01.106 (Grey)


Incl. Steel striker 20 x 20 mm with adhesive tape for glass fixing & screw hole for wood fixing.


Screws to be ordered separately















STRIKING PLATES

ROUND STRIKER - SELF ADHESIVE
For Rigid Fixation - Stick On Type


Size:	Ø19 mm
Material:	Steel
Glass thickness:	4 - 6 mm
Item No.:	
Nickel plated	# 22.01.118





CATCH PLATE
With Handle & Pad


Size:	40 x 23 mm
Material:	Steel
Glass thickness:	4 - 6 mm
Item No.:	
Chrome plated	# 22.03.015
Black anodized	# 22.03.016
Brass plated	# 22.03.017





CATCH PLATE
With Pad


Size:	40 x 25 mm
Material:	Steel
Glass thickness:	4 - 6 mm
Item No.:	
Black anodized	# 22.03.111
Chrome plated	# 22.03.115






CATCH PLATE:

Size:	35 x 27 mm
Material:	Steel
Glass thickness:	6 - 8 mm
Item No.:	
Alu-look	# 15.25.013
Nickel plated	# 15.25.015/16
Chrome plated	# 15.25.017






GLASS DOOR PULL FOR SLIDING DOORS


Material:	Brass
Ø30 x 9 mm - bore Ø26 mm	
Finish:	
Chrome plated	# 17.40.100
Alu finish	# 17.40.101
Polish brass	# 17.40.103
Satin brass	# 17.40.104
Material:	Brass
Ø43 x 9 mm - bore Ø35 mm	
Finish:	
Chrome plated	# 17.40.110
Matt nickel	# 17.40.112

For glass thickness 4 - 8 mm






















GLASS DOOR HANDLE - NO DRILLING

MODEL A10
No Drilling, F/Single doors.


Material:	Zamak
Item No.	
Chrome plated	# 17.40.032
Black Anodized	# 17.40.031





MODEL D-12/2
No Drilling, F/Single doors.


Material:	Zamak
Finish:	Sparkled
Item No.	
Black anodized	# 17.40.017





MODEL D-120
No Drilling, F/Double doors.

Material:	Zamak
Finish:	Sparkled
Item No.	
Brass plated	# 17.40.040
Bronze plated	# 17.40.042






MIRROR SCREWS W/CAP


Application:
Fixing of mirrors.
Drilling in glass required.

Consists of:
Steel NPL screw,
plastic bushing & brass cover cap.

ø4 x 19 mm screw. ø11,5 mm cap
Chrome plated # 22.05.140

ø4 x 25 mm screw. ø11,5 mm cap
Chrome plated # 22.05.145





MIRROR OR GLASS CLIP


Application:
For safe mounting of mirrors or other glass panels of 4 mm thickness.

Material:
Plastic transparent

Screw holes: ø3 mm

Item No.: # 22.05.200

Option:
Also available for other glass thickness upon special request or inquiry.
Other colour available.





MIRROR CLIPS W/SPRING

Application:
Fixing of mirrors.
No drilling in glass required.

Consists of:
2 spring loaded top clips
& 2 fixed bottom clips.

Glass thickness: 5 - 6 mm


Screw holes: ø5 mm


Finish:
Steel, nickel plated # 22.05.100
Stainless steel 304 # 22.05.105

Packing:
400 sets per carton

W/screws and wall plugs







Application
Mounting of signboards, mirrors etc.

Material
Aluminium

Mounting
ø 4 mm screw hole

ø 13 x 13 mm

Panel thickness:	**2 - 6 mm**
Anodized	# 22.11.110
Red	# 22.11.111
Blue	# 22.11.112
Gold	# 22.11.113
Black	# 22.11.114
Alu polished	# 22.11.115

ø 13 x 19 mm

Panel thickness:	**2 - 8 mm**
Anodized	# 22.11.120
Red	# 22.11.121
Blue	# 22.11.122
Gold	# 22.11.123
Black	# 22.11.124
Alu polished	# 22.11.125

ø 19 x 25 mm


Panel thickness:	**2 - 12 mm**
Anodized	# 22.11.130
Red	# 22.11.131
Blue	# 22.11.132
Gold	# 22.11.133
Black	# 22.11.134
Alu polished	# 22.11.135

ø 25 x 30 mm

Panel thickness:	**2 - 12 mm**
Anodized	# 22.11.140
Red	# 22.11.141
Blue	# 22.11.142
Gold	# 22.11.143
Black	# 22.11.144
Alu polished	# 22.11.145

All signboard screws are supplied w/2 transparent washers





SIGNBOARD SCREW "SS" W/CSK HEAD

Application
Mounting of signboards, mirrors etc.

Features
Counter sunk head with snake eyes

Material
Stainless steel 304

Mounting
8 x 14 mm screw hole

ø 20 x 28 mm


Panel thickness:	**8 - 12 mm**
SS 304	# 22.11.150

ø 32 x 28 mm

Panel thickness:	**8 - 12 mm**
SS 304	# 22.11.152

All signboard screws are supplied with black plastic washers





SIGNBOARD SCREWS

Application
Mounting of signboards, mirrors etc.

Material
Brass

Mounting
ø4 mm screw hole

ø 13 x 19 mm

Panel thickness:	2 - 8 mm
Chrome plated	# 22.11.000
SS-look	# 22.11.001
Alu finish	# 22.11.002

ø 19 x 25 mm


Panel thickness:	2 - 12 mm
Chrome plated	# 22.11.050
SS-look	# 22.11.051

ø 25 x 25 mm

Panel thickness:	2 - 12 mm
Chrome plated	# 22.11.100
SS-look	# 22.11.101
Alu finish	# 22.11.102

All signboard screws are supplied w/2 transparent washers





SIGNBOARD HOLDERS

Application
Mounting of signboards, mirrors etc.

Material
Brass


Mounting
ø4 mm screw hole


ø 25 x 20 mm

Panel thickness:	6 mm
Chrome plated	# 22.11.200
SS-look	# 22.11.201

ø 30 x 20 mm


Panel thickness:	6 mm
Chrome plated	# 22.11.210
SS-look	# 22.11.211






ALU SIGN BOARD SCREWS W/LED LIGHT

Alu sign board screws w/LED light
F/ 2- 12 mm glass or acrylic plates
White or blue light incl. 2 mtr. LED cable
Transformer with 150 cm cable w/euro-plug
Size ø 25 x 25 mm.
Polished chrome or alu-look finish
In sets of 2 or 4 sign board screws





Quantity:	Finish:	Led light:	Item No.:
Set of 2 pieces	Chrome	Blue	# 22.11.316
Set of 2 pieces	Chrome	White	# 22.11.318
Set of 2 pieces	Alu	Blue	# 22.11.321
Set of 2 pieces	Alu	White	# 22.11.323
Set of 4 pieces	Chrome	Blue	# 22.11.331
Set of 4 pieces	Chrome	White	# 22.11.333
Set of 4 pieces	Alu	Blue	# 22.11.336
Set of 4 pieces	Alu	White	# 22.11.338









ALU CLAMPS W/LED LIGHT


Alu clamps w/LED light
F/ 8mm glass or acrylic plates
White light incl. 2 mtr. LED cable
Transformer with 150 cm cable w/euro-plug
Size from 80 mm to 380 mm.
Polished chrome or alu-look finish



Size:	Finish:	Led light:	Item No.:
80 mm	Chrome	White	# 22.11.300
80 mm	Alu finish	White	# 22.11.302
120 mm	Chrome	White	# 22.11.303
120 mm	Alu finish	White	# 22.11.305
180 mm	Chrome	White	# 22.11.306
180 mm	Alu finish	White	# 22.11.308
280 mm	Chrome	White	# 22.11.309
280 mm	Alu finish	White	# 22.11.311
380 mm	Chrome	White	# 22.11.312
380 mm	Alu finish	White	# 22.11.313








ALUMINIUM SHELF W/LED & GLASS PLATE

Specifications
Tempered frosted 8mm glass plate
White LED lamps – 6000K
From 450 to 600 mm length.
Complete with 1,5 m cable (no plug)
Maximum load 3 kg
Built-in grey on/off switch
LED driver built into the profile. Input: 200 - 240V, 50 Hz.
IP20 rated, RoHS complaint & CE certified

Item No.:

450 x 175 x 70 mm	24 SMD LEDs – 2,0w	# 22.02.710
500 x 175 x 70 mm	27 SMD LEDs – 2,2w	# 22.02.711
600 x 175 x 70 mm	33 SMD LEDs – 2,7w	# 22.02.712



ALUMINIUM PROFILE WITHOUT LED & GLASS PLATE

Item No.:

450 x 175 x 70 mm	F/8 x 443 mm glass	# 22.02.701
500 x 175 x 70 mm	F/8 x 493 mm glass	# 22.02.702
600 x 175 x 70 mm	F/8 x 593 mm glass	# 22.02.703




SUCTION PADS & BUMPERS

BUMBER DISCS – SELF ADHESIVE

Material
PVC, transparent color

Application
Self adhesive bumbers are the ideal solution to avoid scratching surfaces, prevent objects from skidding orvibrating, cushioning the closing of doors and drawers & equalizing height differences

Tip
Avoid using the bumber discs for at least 24 hours after mounting to guarantee maximum adhesion




Item number	Color	A diameter	B height
# 10.39.010	Transparent	Ø7	1,5 mm
# 10.39.015	Transparent	Ø8	1,6 mm
# 10.39.020	Transparent	Ø10	1,5 mm
# 10.39.030	Transparent	Ø10	3,0 mm
# 10.39.040	Transparent	Ø13	4,0 mm



SUCTION PADS W/HOLLOW PIN

Material
PVC, transparent color

Application
For glass table tops
Hollow pin




Item number	A diameter	B height	C height	D diameter
# 10.38.210	Ø15	10 mm	4 mm	Ø6
# 10.38.220	Ø20	8,5 mm	6,5 mm	Ø6



SUCTION PADS W/BALL PIN

Material
PVC, transparent color

Application
For glass table tops
Ball pin



Item number	A diameter	B height	C height	D diameter
# 10.38.310	Ø20	10 mm	4 mm	Ø6
# 10.38.312	Ø30	13 mm	5 mm	Ø8




Description:
To be used with table legs mounted on glass table tops

For legs with M8 bolt

Item No:

ø 38 x 10,5mm	# 06.10.064
ø 50 x 10,5mm	# 06.10.065
ø 60 x 10,5mm	# 06.10.080






TABLE LEG F/GLASS TABLE TOPS


Application
Table legs for glass table tops.
With adjustable glide.

Mounting
UV-Glue

Material
Steel, chrome plated legs
Stainless steel mounting plate
Black plastic adjuster

Size:
Ø38 x 400 mm #06.10.070
(Incl. stainless steel disc)

Ø60 x 710 mm #06.10.105
(No Stainless steel disc. Buy item #06.10.080)



TWISTER - THE LEG CONNECTOR




PATENTED

The "Twister" leg connector is designed for installing a leg in any position from 0 – 20 degrees – one way, simply by twisting the leg tightly onto the connector plate. May be used on tables, cabinets, beds, sofas ect. wherever a leg is needed.

"Twister" gives the possibility to change the design on the furniture whenever there is a demand. Furthermore it may be used as a height adjuster/leveller in case of uneven floors. Adjustable up to 40mm when changing the angle from 0 – 20 degrees. "Twister" is designed for maximum leg diameter of 50mm and M8 bolt.
The round sliding plate and body are made of black reinforced ABS. The internal part is made of steel.

Danish design by SISO & Jesper Møller Hansen.
Pat. Pending in EU & US.

Wood top mounting



(Leg: customer provided)

Glass top mounting
w/aluminium disc & UV-glue

(Leg: customer provided)



WOOD TOP MOUNTING

Material:
Reinforced ABS & steel

Total size:
Ø106,5 x 27 mm


Screw holes:
Ø5,5 mm

Item No.:
06.11.100


Packing:
1 pce pr. inner box

Screws and hangerbolt to be bought separately.













M8 thread

















GLASS TOP MOUNTING W/ALUMINIUM DISC & UV-GLUE

For glass top mounting by use of Twister connector combined with an aluminium disc.


Material:
Aluminium

Size:
Ø108 x 10 mm, For screws M5 x 8mm

Item No.:
06.11.121

Fixing screws and Twister connector to be ordered separately.

The aluminium disc is glued to the glass by use of Bohle UV-Glue B 682-0. UV-lamp is needed.







SHELVING LEG SYSTEM "THE POST"

"The Post"

Shelving leg system.

Can be used for shelving, storage or display purposes. Office shelves, desk shelf, shop fittings, movable trade fair displays, entertainment centres.


Easy assembly and dis-assembly

Reconfigurable


Mounting clip for wood	Zamak Aluminium finish	# 22.30.000
Foot plug	Black plastic	# 22.30.001
Mounting plug clip	Black plastic	# 22.30.002
Mounting plate for glass	Stainless Steel	# 22.30.003
Aluminium bar of 2 meters	Aluminium anodized	# 22.30.004

Mounting instruction for glass tops
The stainless steel plate is first glued to the zamak mounting clip by use of BOHLE UV-Glue B 682-0 together with BOHLE UV-Activator B 953-0. UV-lamp is not needed.

After the 2 parts are glued together the stainless steel plate is glued to the glass plate by use of BOHLE UV-Glue B 682-0. UV-lamp is needed.




The Post - Connector detail



Kitchens



Extrusion illustration of **The Post**



Assembly




1. Screw connectors into desk/bench and shelf and place posts on connectors

2. Place shelf on posts

3. Twist posts until it locks "click", simply twist to unlock

The Post for glass





- high quality furniture fittings

Item No.: 99.00.020-0 08.05.2023

SISO A/S

Mileparken 11
DK - 2740 Skovlunde (Copenhagen)
Denmark

Phone: (+45) 45 830 900
E-mail: siso@siso.dk
Web: www.siso.dk